



貝斯特衛浴工業

图像王广告有限公司 0757-83387548 83215048

中山市贝斯特卫浴工业有限公司
BST (ZHONG SHAN) PLUMBING INC.

地址: 广东省中山市开发区创业路17栋

电话: 86 0760 85311393

传真: 86 0760 85311632

邮编: 528437

<http://www.bstzs.com>

<http://zsbst.cn.alibaba.com>

OUTSTANDING QUALITY

GUANG DONG ZHONGSHAN BST SANITARY WARE INDUSTRY CO.,LTD.

Is In the economically developed and rich in resources of the state-level high-tech development zone: Zhongshan Torch High-tech Industry Development Zone, Is a development, production, sales of bathroom accessories specializing in the production of enterprises. With the industry's top engineers and excellent development, technical and management personnel, with an integrity of the sales force. Companies have R & D department, Technology, Marketing Department, Service Department, Training Department, Production Department, Quality Department, And other departments. "Quality, service, integrity," "perseverance, truth-seeking, innovative" Leading technology and continuously adjust the product structure, relying on modern management methods and scale of production, provide a rational structure, a new layout and design, with the personalized quality products to you. Products through the ISO9001: 2000 international quality system certification and accreditation certificate was awarded water.

We believe, Customer satisfaction with the effectiveness of our testing is the only criterion, we firmly believe that reliable products, good reputation, business survival and development.

Welcome to visit our factory, with you to open the market include more brilliant.

Brief Introduction

公司简介

广东中山市贝斯特卫浴工业有限公司位于经济发达, 资源丰富的国家级高科技开发区: 中山市火炬高新技术产业开发, 是一家集开发、生产、销售为一体的卫浴配件专业生产企业。公司拥有行业顶尖的工程师和一批优秀的开发人员、技术人员和管理人员, 拥有一支诚信的销售队伍。公司有研发部, 技术部, 市场部, 售后服务部, 培训部, 生产部, 品质部等组成, 秉着“品质、服务、诚信”的企业宗旨和“执着、求实、创新”的企业精神, 坚持以领先的技术自主开发, 同时吸收国内外同类产品精华, 不断调整产品结构, 增加科技含量, 依靠现代化的管理手段和规模生产, 为各厂家提供结构合理, 设计新颖, 具有个性化的优质产品。产品通过 ISO9001: 2000 国际质量体系认证并荣获节水认证证书。

我们相信, 客户的满意度是检验我们工作成效的唯一标准, 我们坚信, 可靠的产品, 良好的信誉, 是企业得以生存和发展的基础。

热忱欢迎各厂家光临指导并携手前进, 共同开拓更辉煌的市场。



PRODUCT
CATALOGUE

BST



贝斯特专注于每一个细节
FOCUS ON EVERY DETAILS BST





压力差设计, 最佳瞬间止水, 并耐压。
Pressure type design, positive shut off, and dielectric strength



可调水位
Water level adjustable



节水认证



G1/2 "



G15/16 "




G3/8 "



内部过滤装置, 防止杂物
进入阀体便于清洗
Inside drain guard keeps
impurity out of valve, and
easy to clean



用固定扣锁定, 防止进水阀转动
Fixed deduction lock, to prevent
the rotation.



固定水位线及单向阀设计, 在水压变
化下, 水位保持不变
Remarkable fixed water level and
single drainage valve ensure that
water level remains the same even
if water pressure is rising or declining



MOULD:A-1500



节水认证



压力差设计, 最佳瞬间止水, 并耐压。
Pressure type design, positive shut off, and dielectric strength




POM塑料钢本体, 抗腐蚀。
Strong plastic POM material, noncorrosion



卡扣固定, 可稳固进水阀高度。
Fix stopper fastens valve body steadily



塑料螺旋固定装置。
Twist & lock feature



水位调节方便, 保证水位任意调节
Adjust the water level to facilitate, regulate and ensure the water level

具有防虹吸功能
With anti-siphon

固定水位线及单向阀设计, 在水压变化下, 水位保持不变
Remarkable fixed water level and single drainage valve ensure that water level remains the same even if water pressure is rising or declining



内部过滤装置, 防止杂物进入, 易于清洗。
Inside drain guard keeps impurity out of valve, and easy to clean.



15 "
A1350



13 "
A1330



11 "
A1310



G15/16 "



15 "
A1340



13 "
A1320




11 "
A1300



G1/2 "




通过附加不同的补水塞可以在0-28%的范围内调节补水比例。





节水认证



压力差设计,最佳瞬间止水,并耐压。
Pressure type design, positive shut off, and dielectric strength



POM塑料钢本体,抗腐蚀。
Strong plastic POM material, noncorrosion



水位调节方便,保证水位任意调节
Adjust the water level to facilitate, regulate and ensure the water level

具有防虹吸功能
With anti-siphon

固定水位线及单向阀设计,在水压变化下,水位保持不变
Remarkable fixed water level and single drainage valve ensure that water level remains the same even if water pressure is rising or declining



内部过滤装置,防止杂物进入,易于清洗。
Inside drain guard keeps impurity out of valve, and easy to clean.



11.5 "
A1450



9.5 "
A1430



8.5 "
A1410



G15/16 "



11.5 "
A1440



9.5 "
A1420




8.5 "
A1400



G1/2 "



通过附加不同的补水塞可以在0-28%的范围内调节补水比例。





一体化浮桶, 节省空间.
One piece float cup, saving space



防止水倒流.
Prevent water from flowing backwards



无针阀式的卡涩现象, 保证进水止水功能稳定.
It ensures water in and out, freely and won't get struck





G15/16 "




G1/2 "



调节器螺纹固定, 方便调节, 通过对其上下调节可以调节水位高低. (130 ~ 350mm)
Used fixed-conditioning nut, to facilitate adjustment, up and down regulation of high and low water level. (130 ~ 350mm)



根据水箱的不同高度, 进水阀上盖可适当的进行裁剪, 调节杆也可选用不同的规格.
Optional different length of fill valve adjust kins of metal lifter



MOULD:A-1220



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available in any height.




上下移动可调节半排排水量。
Adjustment of half flush volume by moving up and down.


本体可旋转方便与按钮配合
Can rotate, with the button

半排。
Half flush.

全排。
Full flush.



上下移动可调节全排排水量。
Adjustment of full flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.




A-2115-1



A-2115



A-2116



MOULD:A-2116



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available in any height.

本体可旋转方便与按钮配合
Can rotate, with the button



上下移动可调节全排水量。
Adjustment of full flush volume by moving up and down.


全排。
Full flush.
半排。
Half flush.



上下移动可调节半排水量。
Adjustment of half flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.



MOULD:A-2114



A-2113-1



A-2113



A-2114



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available in any height.

本体可旋转方便与按钮配合
Can rotate, with the button



上下移动可调节全排水量。
Adjustment of full flush volume by moving up and down.

全排。
Full flush.
半排。
Half flush.




上下移动可调节半排水量。
Adjustment of half flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.




A-2111-1




A-2111



A-2112



MOULD:A-2112



节水认证



补水管连接器.
Refill tube connector.




可选不同高度的溢水管.
Overflow pipe is available
in any height.




上下移动可调节全排水量.
Adjustment of full flush
volume by moving up and
down.

本体可旋转方便与按钮配合.
Can rotate, with the button.

全排.
Full flush.
半排.
Half flush.



上下移动可调节半排水量.
Adjustment of half flush
volume by moving up and
down.



硅胶密封垫, 密封性好, 毫
无渗漏.
Silicon seal free from leak.




A-2005-1



A-2005



A-2006



MOULD:A-2006



节水认证



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available
in any height.

本体可旋转方便与按钮配合
Can rotate, with the button



上下移动可调节全排排水量。
Adjustment of full flush
volume by moving up and
down.

全排。
Full flush.


半排。
Half flush.



上下移动可调节半排排水量。
Adjustment of half flush
volume by moving up and
down.



硅胶密封垫, 密封性好, 毫
无渗漏。
Silicon seal free from leak.



MOULD:A-2004



A-2003-1



A-2003



A-2004



节水认证



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available
in any height.



上下移动可调节全排排水量。
Adjustment of full flush
volume by moving up and
down.

本体可旋转方便与按钮配合
Can rotate, with the button

全排。
Full flush.

半排。
Half flush.



上下移动可调节半排排水量。
Adjustment of half flush
volume by moving up and
down.



硅胶密封垫, 密封性好, 毫
无渗漏。
Silicon seal free from leak.




A-2001-1



A-2001



A-2002



MOULD:A-2002



节水认证



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available
in any height.



上下移动可调节半排排水量。
Adjustment of half flush
volume by moving up and
down.


本体可旋转方便与按钮配合
Can rotate, with the button

半排。
Half flush.


全排。
Full flush.



上下移动可调节全排排水量。
Adjustment of full flush
volume by moving up and
down.



硅胶密封垫，密封性好，毫
无渗漏。
Silicon seal free from leak.



MOULD:A-2106



A-2005-1



A-2105



A-2106



节水认证



补水管连接器。
Refill tube connector.



可选不同高度的溢水管。
Overflow pipe is available
in any height.

本体可旋转方便与按钮配合
Can rotate, with the button




上下移动可调节全排排水量。
Adjustment of full flush
volume by moving up and
down.

全排。
Full flush.

半排。
Half flush.



上下移动可调节半排排水量。
Adjustment of half flush
volume by moving up and
down.



硅胶密封垫，密封性好，毫
无渗漏。
Silicon seal free from leak.




A-2103-1



A-2103



A-2104



MOULD:A-2104



半排.
Half flush.
全排.
Full flush.



上下移动可调节半排排水量。
Adjustment of half flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.



补水管连接器。
Refill tube connector.




可选不同高度的溢水管。
Overflow pipe is available in any height.

本体可旋转方便与按钮配合
Can rotate, with the button



上下移动可调节全排排水量。
Adjustment of full flush volume by moving up and down.



MOULD:A-2102



A-2101-1



A-2101



A-2102



半排.
Half flush.
全排.
Full flush.



固定水箱盖。
Fixed water tank covered.



补水管连接器。
Refill tube connector.




可选不同高度的溢水管。
Overflow pipe is available in any height.



上下移动可调节半排排水量。
Adjustment of half flush volume by moving up and down.



上下移动可调节全排排水量。
Adjustment of full flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.

本体可旋转方便与按钮配合
Can rotate, with the button




A-2117-1



A-2117



A-2118



MOULD:A-2118




补水管连接器。
Refill tube connector.




可选不同高度的溢水管。
Overflow pipe is available in any height.



上下移动可调节全排排水量。
Adjustment of full flush volume by moving up and down.



硅胶密封垫，密封性好，毫无渗漏。
Silicon seal free from leak.



全排。
Full flush.

半排。
Half flush.



上下移动可调节半排排水量。
Adjustment of half flush volume by moving up and down.




A-2401-1



A-2401



A-2402




MOULD:A-2401



可选配多种按钮




A-7100




MOULD:A-7100



镀铬两排式按钮 A3001



镀铬两排式按钮 A3002




镀铬两排式按钮 A3003



镀铬两排式按钮 A3004



镀铬两排式按钮 A3101



镀铬两排式按钮 A3102



镀铬两排式按钮 A3103



镀铬两排式按钮 A3201




镀铬两排式按钮 A3301



镀铬两排式按钮 A3401



镀铬两排式按钮 A3501



镀铬两排式按钮 A3502



镀铬两排式按钮 A3601



镀铬两排式按钮 A3701




1500过滤网



1501下水器



1502



地脚螺丝



A5001



A6002



A6001发泡



A6001普通



供水管不锈钢材质
提供30cm-120cm不同长
度的供水管给客户选用



輕輕一按
傾瀉而下
永無煩惱